ELSEVIER

Fluid Phase Equilibria 124 (1996) 261–262

FLUID PHASE EQUILIBRIA

Contents of Volume 124 (1996)

Vol. 124, Nos. 1–2

Theoretical papers

Prediction of vapor–liquid equilibria for acetic acid aqueous solutions containing salt
I.-M. Shiah and H.-C. Tseng (Taipei, Taiwan) 1–13

An improved method to predict VLE equilibria of subcritical mixtures
A. Vetere (San Donato Milanese, Italy) 15–29

Association model of fluids. Phase equilibria and excess enthalpies in acid mixtures
I. Nagata, K. Gotoh and K. Tamura (Kanazawa, Japan) 31–54

Calculation of activity coefficients for systems containing tributyl phosphate, diluents and water by the perturbation theory
W. Cong, Y. Li and J. Lu (Beijing, People's Republic of China). 55–65

Prediction of liquid–liquid equilibria of polymer–salt aqueous two-phase systems by a modified Pitzer's virial equation
Y.-T. Wu, D.-Q. Lin, Z.-Q. Zhu and L.-H. Mei (Hangzhou, People's Republic of China) 67–79

Excess molar enthalpies of (ethane + ethene), (ethane + chloromethane), (propane + chloromethane), and (butane + chloromethane) calculated from cubic equations of state and the principle of corresponding states—a comparison with experimental results
M.S. Gruszkiewicz (Oak Ridge, TN, USA) and J.B. Ott (Provo, UT, USA). 81–98

Study of the ionic activity coefficients in aqueous electrolytes by the non-primitive mean spherical approximation equation
C. Li, Y. Li, J. Lu and L. Yang (Beijing, People's Republic of China). 99–110

Correlations of critical properties with computed molecular surface areas for 11 homologous series of 118 organic compounds
R.C. Mebane, C.D. Williams and T.R. Rybolt (Chattanooga, TN, USA). 111–122

Experimental papers

Excess Gibbs free energies at seven temperatures and excess enthalpies and volumes at 298.15 K of butanone with 1-propanol or 2-propanol
R. Garriga, F. Sánchez, P. Pérez and M. Gracia (Zaragoza, Spain). 123–134

Isothermal vapour–liquid equilibria for binary systems of chloroalkanes with heptane, toluene and methylcyclohexane at 323.15 and 333.15 K
O. Dahmani, I. Wichterle (Prague, Czech Republic) and A. Ait-Kaci (Alger, Czech Republic). 135–146

Viscosities of the ternary mixture (1-butanol + *n*-hexane + 1-butylamine) at the temperatures 298.15 and 313.15 K
M. Domínguez, J. Pardo, M.C. López, F.M. Royo and J.S. Urieta (Zaragoza, Spain) 147–159

Vapor–liquid equilibria at 101.32 kPa in mixtures formed by the first four butyl alkanoates and butan-2-ol
E. González and J. Ortega (Las Palmas de GC, Spain) 161–175

Excess volumes and saturation pressures for the system methane + *n*-tetracosane at 374 K. Representation by improved EOS mixing rules
J.F. Arnaud, P. Ungerer, E. Behar, G. Moracchini (Rueil-Malmaison, France) and J. Sanchez (Viarmes, France) 177–207

Static dielectric constants of 1,2-dichloroethane + 2-methoxyethanol + 1,2-dimethoxyethane ternary liquid mixtures from −10 to 80°C
F. Corradini, A. Marchetti, M. Tagliazucchi and L. Tassi (Modena, Italy). 209–220

Measurement and correlation of vapor–liquid–liquid equilibria in the glucose + acetone + water + carbon dioxide system
O. Pfohl, J. Timm (Hamburg, Germany), R. Dohrn (Leverkusen, Germany) and G. Brunner (Hamburg, Germany) 221–233

Experimental and theoretical determination of vapor pressures of NaCl–KCl, NaBr–KBr and NaCl–$CaCl_2$ aqueous solutions at 298 to 343 K
I.-M. Shiah and H.-C. Tseng (Taipei, Taiwan, ROC) 235–249
Excess molar volumes of *n*-hexane + ethanol, +(ethanol + water) and +(ethanol + water + sodium chloride) at 303.15 K
J. Wang (Henan, People's Republic of China), M.B. Ewing and M.L. McGlashan (London, UK) 251–256

Subject index 257

Author index 259

Contents of volume 261–262